

SAFETY DATA SHEET

1. Product Identification

Product name Quick Cure - 5 Adhesive Part B

SDS Number 1000B00

Product type Mercaptan/Amine polymer mixture

Recommended use of the chemical and

restrictions on use

Directed at, but not limited to, the adhesion of wood, similar and dissimilar

substrates.

Restrictions None known.

Manufacturer/Supplier information

Company name SYSTEM THREE RESINS, INC. **Address** 3500 W. Valley Hwy, Suite

Suite 105

Auburn, WA 98001-2436

United States

Telephone 1-253-333-8118

Website www.systemthree.com

Email support@systemthree.com

Emergency Contact CHEMTREC (U.S. and CANADA) 1-800-424-9300 1-703-527-0585

CHEMTREC (Outside the U.S.)

2. Hazard(s) Identification

Classification of substance or WARNING mixture/Signal Word

Skin Irritation - Category 2 Serious Eye Damage - Category 1 Skin Sensitization - Category 1

GHS Label Elements Hazard Pictograms





Hazard Statements/Classification of H312 Harmful in contact with skin.

substance or mixture H317 May cause an allergic skin reaction.

> H318 Causes serious eye damage.

Precautionary statements

Precautionary Statements P202 Do not handle until all safety precautions have been read and

Prevention understood.

> P264 Wash hands thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

Wear protective clothing, gloves, eye, and face protection.

Response P301+P330+P314 IF SWALLOWED: Rinse mouth and get medical attention

if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes and remove contacts if present and easy to do so. Continue rinsing. P337+P313 IF EYE IRRITATION PERSISTS: Get medical attention. Take off contaminated clothing and wash it before reuse.

Storage P401 Store above 32 °F / 0 °C

Disposal P501 Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Hazards not otherwise classified (HNOC) None Available.

3. Composition/Information On Ingredients

| Chemical Name | CAS Number | Content (%) | |
|--|--------------|-------------|--|
| Polymercaptan Resin | Trade Secret | 80 - 100 % | |
| Phenol, 2,4,6-Tris((dimethylamino)methyl)- | 90-72-2 | 1-10% | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. First-Aid Measures

Skin contact Remove contaminated clothing and shoes and wipe excess off skin. Flush skin

with water. Follow by washing in soap and water. If irritation occurs, seek medical attention. Do not reuse clothing until cleaned. Contaminated leather

articles (shoes) cannot be decontaminated and should be destroyed.

Eye contact Flush with water for 15 minutes holding eye lids open. Remove contacts if

present and easy to do so. Seek medical attention, if irritation or symptoms of

overexposure persist.

Ingestion If swallowed, do NOT induce vomiting. Call a physician or poison control center

immediately. Never give anything by mouth to an unconscious person. Turn

victim's head to the side.

Inhalation Remove victim to fresh air and provide oxygen if breathing is difficult. Give

artificial respiration if not breathing. Get medical attention.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Symptomatic and supportive therapy as needed. Following severe exposure

medical follow-up should be monitored for at least 48 hours.

Specific treatments No specific treatment.

5. Fire-Fighting Measures

Suitable extinguishing media Alcohol-resistant foam, Carbon dioxide (CO₂), Dry chemical, Water Fog

Unsuitable extinguishing mediaNone known.

Specific hazards arising from the chemical Potential skin irritation.

Hazardous decomposition productsDecomposition products may include the following materials:

Carbon dioxide Carbon monoxide Nitrogen oxides

Special protective actions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-

fighters

Avoid contact with skin. A face shield should be worn. Use personal protective equipment. Wear self-contained breathing apparatus for fighting if necessary.

Further information

Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. Accidental Release Measures

Personal precautions No action shall be taken involving any personal risk or without suitable

training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Wear proper protective clothing,

gloves and eye/face protection.

Emergency procedures If specialized clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials.

Methods and materials for containment/cleanup

Contain spills with an inert absorbent material such as soil or sand. Prevent from spreading by covering, diking or other means. Provide ventilation.

Environmental precautionsAvoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused

environmental pollution (sewers, waterways, soil or air).

7. Handling and Storage

Precautions for safe handling Always wear protective, disposable gloves when handling epoxy products to

prevent exposure. Use with adequate ventilation. Avoid breathing vapor and

contact with eyes, skin and clothing.

Precautions/Recommendations for safe/proper storage

Store epoxy products in temperature stable environment, out of the reach of pets or children. Securely fasten container lids and tops, and prevent products

from sitting and below freezing temperatures.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits None established.

Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes,

gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below

any recommended or statutory limits.

Environmental exposure controlsEmissions from ventilation or work process equipment should be checked to

ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels. Do not allow spill to enter sewers or waterways.

Individual protection measures/Personal

protective equipment

Eye/face protection Splash-proof goggles or safety spectacles with side shields are recommended.

Always wear eye protection when sanding cured epoxy resins to avoid dust in

eyes.

Hand protection Always wear impervious gloves: butyl rubber, nitrile rubber, Neoprene, PVC

disposable gloves,

Skin protection Wear clean, body-covering clothing to avoid skin contact.

Respiratory protectionUse a NIOSH approved respiratory device when sanding cured epoxy to

prevent dust in lungs.

Special instructions for protection and hygiene

Wear gloves at all times when handling product, avoid direct contact with skin. When finished using product, dispose of gloves properly and wash hands with warm, soapy water.

9. Physical and Chemical Properties

Chemical family Mercaptan/Amine curing agent

Appearance Straw-colored viscous liquid

Physical State Amine mixture

Form Liquid

Color Clear straw-colored

Odor Sulfur like

 Density (Specific Gravity)
 9.5-9.7 lb/gal (1.1-1.2)

 Viscosity
 8,000-12,000 cps @ 25°C

pH N/A
Melting point/freezing point N/A
Initial boiling point and boiling range N/A

Flash point >250°F, Pensky-Martens Closed Cup

Evaporation rate Slower than ether

Flammability (solid, gas)

Upper/lower flammability limit (by volume)

N/A

Upper flammability limit (by volume)

N/A

Lower flammability limit (by volume)

N/A

Material VOC

None

Vapor densityHeavier than airRelative densityNot determinedSolubility in waterNegligible

Partition coefficient: n-octanol/water N/A

Auto-ignition temperature N/A

Decomposition temperature N/A

10. Stability and Reactivity

Reactivity No specific test data related to reactivity available for this product.

Chemical Stability Stable under normal conditions.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not

occur.

Conditions to avoid Epoxy resins and epoxy resin hardeners react with each other producing heat.

They should not be mixed with each other under uncontrolled conditions or in large mass as the ensuing exotherm may result in heat and smoke, resulting in

hazardous decomposition products.

Incompatible materials Reactive or incompatible with the following materials:

Mineral acids

Strong oxidizing agents

Lewis acids

Hazardous decomposition products

Oxides of carbon, aldehydes, acids.

Other hazards None known.

11. Toxicological Information

Acute Health Hazard (components)

No comprehensive data (ingestion, inhalation, dermal) on mixture (product).

| 2,169 mg/kg - |
|---------------|
| |

Irritation/Corrosion (components)

Classifies as a skin irritant per negative Corrositex Dermal Testing results. Classifies as an eye corrosive using the bridging principles for the classification of mixtures.

| Component | Result | Species | Test | Exposure | |
|--|--------------------------|---------|---|----------|--|
| Phenol, 2,4,6- Tris((dimethylamino)methyl)- | Skin – Corrosive Rabb | | OECD 404 Acute Dermal Irritation/Corrosion | - | |
| | Eyes – Severe Irritation | Rabbit | OECD 405 Acute Eye Irritation/Corrosion | - | |

No information on product itself.

<u>Sensitization</u> No information on product itself.

 Mutagenicity
 No information on product itself.

 Carcinogenicity
 No information on product itself.

 Reproductive Toxicity
 No information on product itself.

 Teratogenicity
 No information on product itself.

Specific target organ toxicity (repeated exposure)Not available.Aspiration hazardNot available.

Potential acute health effects

Eye ContactCauses eye burns.InhalationNot available.

Skin ContactCauses skin irritation.IngestionHarmful if swallowed.

Symptoms related to the physical, chemical and

Specific target organ toxicity (single exposure)

toxicological characteristics

Not available.

Eye Contact

Inhalation

Not available.

Skin Contact

Not available.

Not available.

Not available.

<u>Delayed and immediate effects and also chronic</u> <u>effects from short and long term exposure</u> Not available.

Potential chronic health effects

Not available.

otential chi onic neath enect

General

May cause sensitization by skin contact.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates (ATEmix)

| Route | ATE value |
|---------------------|-----------|
| Oral | N/A |
| Dermal | N/A |
| Inhalation (vapors) | N/A |

12. Ecological Information

Ecotoxicity

No information on product itself.

| Component | Test | Endpoint | Exposure | Species | Result |
|---------------------------------|------------------|------------|----------|------------------|---------|
| 2,4,6- | 201 Alga, Growth | Acute EC50 | 72 hr | Aquatic plants – | 84 mg/l |
| tris(dimethylaminomethyl)phenol | Inhibition Test | | | Green Algae | |

Persistence and degradability

No information on product itself.

Bioaccumulative Potential

No information on product itself.

Mobility in Soil

Soil/water partition coefficient (KOC)No information on product itself.

Other adverse effects No known significant effects or critical hazards.

13. Disposal Considerations

Waste from residues/ unused products The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Product should not be allowed to enter drains, water courses or the soil; dispose of this material and its containers in a safe way. Contact supplier if guidance is

required.

Contaminated packaging Dispose of container and unused contents in accordance with federal, state

and local requirements.

14. Transport Information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International Transport Regulations

Regulatory UN/NA number Proper Shipping Name Classes/*PG Additional Information

DOT Non-regulated

TDG Non-regulated IMO/IMDG Non-regulated

IATA UN3334 AVIATION REGULATED LIQUID, N.O.S. Class 9 III

(Mercaptan-terminated polymer)

*PG: Packing group

Special precautions for user: Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to

do in the event of an accident or spillage.

15. Regulatory Information

UNITED STATES

U.S. Federal Regulations United States – TSCA 12(b) – Chemical export notification: None Required.

> United States – TSCA 5(a)2 – Final significant new use rules: Not Listed. United States – TSCA 5(a)2 – Proposed significant new use rules: Not Listed.

United States – TSCA 5(e) – Substance consent order: Not listed.

Clean Air Act - Ozone Depleting

Substances (ODS)

This product does not contain nor is it manufactured with ozone depleting

substances.

Clean Air Act Section 112(b) Hazardous

Air Pollutants (HAPs)

This product does not contain nor is it manufactured with hazardous air

pollutants.

California Prop. 65 This product does not contain chemicals known to the state of California to

cause cancer, birth defects, or other reproductive harm.

EPA SARA 302 Extremely Hazardous

Substances

None Required

None Required

Acute Health Hazard

EPA SARA 302/304/311/312 Hazardous

Chemicals

SARA 313

None Required

Form R – Reporting requirements

CERCLA Hazardous substances

United States inventory (TSCA 8b) All components are listed or exempted.

CANADA

WHMIS (Canada) Class D-2B: Material causing other toxic effects (Toxic).

Canadian NPRI None Required **CEPA Toxic substances** None Required

INTERNATIONAL REGULATIONS

International Lists Australia inventory (AICS): All components are listed or exempted.

> Canada inventory: All components are listed or exempted. **Korea inventory:** All components are listed or exempted. **Japan inventory:** All components are listed or exempted. China inventory (IECSC): All components are listed or exempted.

New Zealand inventory (NZIoC): All components are listed or exempted. **Philippines inventory (PICCS):** All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted.

16. Other Information, Including Date of Preparation or Last Revision

HMIS Rating

Health 2
Flammability 1
Physical Hazard 0

Date of Preparation October 18, 2018

Date of Last Revision December 13, 2016

Revision # 3.0

More Information 1-253-333-8118

Prepared byN. Kim, System Three Resins Inc.

The information contained herein is based on the data available to us and is believed to be correct. However, System Three Resins, Inc. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. System Three assumes no responsibility for injury from the use of the product described herein.