


<b>Specifications:</b>		
<b>LOA:</b>	21'	6.4 m
<b>Max. Beam:</b>	8'	2.44 m
<b>Hull draft (2000 lb):</b>	8"	0.2 m
<b>Displacement at DWL:</b>	3500 lb	1587 Liters
<b>PPI at DWL:</b>	578 lbs	102 kg/cm
<b>Fuel:</b>	50 Gallons	200 liters
<b>Recommended engine</b>	90-150 HP	65-115 KW
<b>Material:</b>	Epoxy-fiberglass-plywood composite	

Plan # 304 is the base version of our GP21 boat series (General Purpose boat 21'). The GP21 is a wide garvey hull with good planing characteristics, stable, roomy and smooth running in a moderate chop. That base hull is used for several boats from the traditional center console to work boats, deck boats, bass boats etc. The hull is based on a proven work boat shape. There are several companies producing variations on that type of hull, mostly in aluminum.

This hull shape is a good compromise between comfort and performance. The wide hull is stable and has plenty of usable deck area but the deadrise, in particular at the bow, is deep enough to run smoothly in a chop. The vee at the transom is only 3 degrees but a sharp 26 degrees at the cutwater. Also, at the chine, the bow becomes much narrower, almost like a standard vee hull but the side panel flares open to a wide deck.







Speed estimates for a displacement of 3,000 lbs and 90 HP give a top speed of 26 mph. Same boat with 150 HP: 34 mph. At 2,000 lbs (light) and 90 HP: 32 mph and up to 41 mph with a 150. Note that our estimates have always been pessimistic but we prefer a good surprise.

We designed 5 layouts: Center Console, Bass Boat, Deck Boat, Work Boat, Tour Boat. Those layouts are shown on different drawings.

This set of plans is included in all our plans packages for the various GP21 models but can also be purchased separately. The base plans can be used to produce a functional boat, ready to customize by those who want to design their own layout.

Feel free to customize this boat by combining features from different models; decks can be shorter, longer or higher, seating can be added or removed etc. or design your own layout. Note that the sole shown on the plans is always part of the structure and must always be present. The same applies to the motorwell.




Estimated hull weight (with all components but empty tank and medium size motor) varies greatly with layout and features but will average 1,400 lbs.

The top of the sole is 1.5" above the DWL. This means, at level trim, the scuppers begin to take water at 4,200 lbs displacement. The cockpit will drain even when heavily loaded.


### **Building Method:**

The material is a plywood core between skins of fiberglass in epoxy. The assembly is done the stitch and glue way like all our designs for boats of that size. See our ["Building on a Jig"](#) tutorial.



GP21 Molds and stringers

bateau.com



GP21 Typical structure

bateau.com

MDF molds are set on a pair of strongbacks and stringers are used to space the molds. The molds are then planked with plywood panels and the outside fiberglass skin is applied. The hull is turned over, jig removed and the inside fiberglass is applied producing a complete fiberglass hull. The interior framing is installed, with the sole, followed by the other components like frames, seats, consoles or pilothouse, decks etc. As for all our boats, there are no fasteners: it is built as a fiberglass boat but on a plywood core.

**Skill Level:**

The building method is simple and does not require wood working skills. If you can cut plywood with a circular saw and handle a grinder, you can build this boat. No tricky bevels, no fancy routing but if you have those skills and tools, you can use them to finish the boat to a high standard.

Basic understanding of resin and fiberglass is needed. Those skills can be learned by building a small canoe from

our [free plans](#). While there is nothing difficult in building this boat, it is a moderately large project that will take some time. A builder with the experience gained on a smaller boat will progress much faster, save on materials and not run the risk of running out of steam.

**Options:**

There is no limit to the options except for weight, windage and common sense safety. See the different versions of this boat listed as separate plans under the names with a GP21 prefix.

Builders who want have a complete catalog of options should buy the full set of plans for all versions. That set is sold as packages for the GP21-Tour Boat or the GP21-Work Boat.

**Bill Of Materials and labor:**

To assemble the base hull, ready to fair and paint, an experienced builder will need about 100 hours:

- Cut molds: 5 hours
- Jig set up: 10 hours
- Cut hull panels and transom: 8 hours
- Plank hull: 5 hours
- Outside seams: 5 hours
- Outside fiberglass: 15 hours
- Outside rough fairing and primer: 10 hours.
- Roll the hull: 3 hours
- Remove molds and inside seams: 8 hours
- Inside wide fabric: 5 hours
- Install and tab stringers, floor frames: 8 hours
- Motorwell and bow frame: 5 hours.
- Cleats on stringers: 4 hours
- Sole installation with tabbing: 5 hours.

A first time builder will need about twice that time. This total is for real work hours and does not include the time spent hesitating about options, dreaming or admiring your work while the epoxy cures!

No rigging is included but you will have to add some time to install the fuel tank, chase tubes, drill scuppers etc.

<b>Plywood standard sheets 4x8' (122x244cm)</b>		
10 mm (3/8")	13	
12 mm (1/2")	10	
<b>Fillers and Fairing</b>		
Wood Flour	5 lb	2 kg
Fairing Compound	3 qt	3 l.
<b>Fiberglass fabric 50" wide (125 cm) or tape 6" wide ( 15 cm) (totals)</b>		
Biaxial tape 45/45 12 oz. (400 gr)	400 yards	366 m
Biaxial fabric 12 oz. 45/45 (400 gr)	80 yards	74 m
<b>Resin</b>		
Epoxy, total	27 gal	98 Kg
<b>Foam</b>		
Foam (optional)	12 gal	(6 x 2 gallon kits)

This BOM covers the base version hull ready to paint: hull with structural framing, motorwell, full sole. It does not include any option. For options, see the plans specific to that version. Not included are battens for cleats (2x2), those are cheap and available everywhere.

The supplies for the jig are not included. Plan for a pair of strongbacks about 20' long and between 6 and 10 sheets of MDF for the molds.

Small variations in fiberglass specifications are acceptable, consult us for substitutions.

**Cost:**

The cost of materials varies depending on your location, your choice of epoxy brand, core type and options. Use our Bill Of Materials with the local cost of materials.

All materials are available for purchase online from the web sites below:  
Epoxy, fiberglass, foam, paint and more: [BoatBuilderCentral.com](http://BoatBuilderCentral.com)

Despite the cost of shipping, those materials may cost less online than purchased locally.

**Labor:**

The hull shell can be built in 200 hours but a finished boat will require 300 to 800 hours depending on the level of detail and the skills of the builder.

**More:**

Visit our message board, help pages, tutorial pages and read our FAQ: most questions are answered there.

**License:**

As with all our plans, you have the right to build one boat from those plans. The designer holds the copyright to the design and you purchase a license to build one boat. If you plan to build more than one boat, please contact us about licensing fees.

**Building standards:**

These plans were drafted according to the ABYC rules. The ABYC (American Boat and Yacht Council) defines the boat building standards in collaboration with the USCG. Professional builders may be subject to more requirements. Consult the designer.

The ABYC standards are very close to the ISO norms and CEE requirements but no European certification was applied for since this is not required for amateur boat building in Europe. CEE/ISO certification is available to professional builders for a fee.

**Plans Packing List:**

Plans are available in metric or US units.

- B304/1. Specifications. Hull dimensions
- B304/2. Jig.
- B304/3. Stations Spacing. Also shows the LCB.
- B304/4. Stations. Used to trace the molds and the outline of the frames.
- B304/5. Stringers.
- B304/6. Panels. and sole
- B304/7. Nesting. all hull panels, transom, and stringers.
- B304/8. Construction. Shows typical assemblies and systems.
- Typical electrical diagram.
- GP21 Building Notes

In addition to step by step instructions and how to cut a mold or frame, the building notes explain how to cut notches in the stringers and molds for easy set up on the jig.

Please understand that you purchase one set of plans and the right to build only one boat from them, not one of each.